

Symantec Compiler Control Version 7.0r1
 Copyright (C) Symantec Corporation 1985-1995. All Rights Reserved.
 Written by Walter Bright
 SC is a one-step program to compile and link C++, C and ASM files.
 Usage ([] means optional, ... means zero or more):

SC file... [flags...] [@respfile]

file... .CPP, .C or .ASM source, .OBJ object or .LIB library file name
 @respfile... pick up arguments from response file or environment variable
 flags... one of the following:

-a[1|2|4|8] alignment of struct members -A strict ANSI C/C++
 -c skip the link, do compile only -cpp source files are C++
 -cod generate .cod (assembly) file -C no inline function expansion
 -D #define DEBUG 1 -Dmacro[=text] define macro
 -e show results of preprocessor -EC do not elide comments
 -EH enable exception handling -EL #line directives not output
 -ER enable RTTI -f IEEE 754 inline 8087 code
 -fd work around FDIV problem -ff fast inline 8087 code
 -g generate debug info -g3 CV3 symbol format
 -gf disable debug info optimization -gg make static functions global
 -gh symbol info for globals -gl debug line numbers only
 -gp generate pointer validations -gs debug symbol info only
 -gt generate trace prolog/epilog -GTnnnn set data threshold to nnnn
 -H use precompiled headers (ph) -HDdirectory use ph from directory
 -HF[filename] generate ph to filename -HIfilename #include "filename"
 -HO include files only once -HS only search -I directories
 -HX automatic precompiled headers
 -Ipath #include file search path -j[0|1|2] Asian language characters
 0: Japanese 1: Taiwanese and Chinese 2: Korean
 -Jm relaxed type checking -Ju char==unsigned char
 -J chars are unsigned -l[listfile] generate list file
 -L using non-Symantec linker
 -Llink specify linker to use -L/switch pass /switch to linker
 -Masm specify assembler to use -M/switch pass /switch to assembler
 -m[tsmclvfnrpxz][do][w][u] set memory model
 s: small code and data (default) m: large code, small data
 c: small code, large data l: large code and data
 v: VCM r: Rational 16 bit DOS Extender
 p: Pharlap 32 bit DOS Extender x: DOSX 32 bit DOS Extender
 z: ZPM 16 bit DOS Extender f: OS/2 2.0 32 bit
 t: .COM file n: Win32s, Windows 95, Windows NT
 d: DOS 16 bit (default) o: OS2 16 bit
 w: SS != DS u: reload DS
 -Nc function level linking -NL no default library
 -Ns place expr strings in code seg -NS new code seg for each function
 -NTname set code segment name -NV vtables in far data
 -o[-+flag] run optimizer with flag -ooutput output filename
 -p turn off autoprotyping -P default to pascal linkage
 -Pz default to stdcall linkage -r strict prototyping
 -R put switch tables in code seg -s stack overflow checking
 -S always generate stack frame -u suppress predefined macros
 -v[0|1|2] verbose compile -w suppress all warnings
 -wn suppress warning number n -wx treat warnings as errors
 -W{0123ADabdefmrstuvwx-+} Windows prolog/epilog
 -WA Windows EXE
 -WD Windows DLL
 -x turn off error maximum -XD instantiate templates
 -XItemp<type> instantiate template class temp<type>
 -XIfunc(type) instantiate template function func(type)
 -[0|2|3|4|5] 8088/286/386/486/Pentium code